



Report No. A2200225067102 Page 1 of 38

### **CENTRE TESTING INTERNATIONAL**



Company Name GUANGZHOU ZHIYUAN ELECTRONICS CO.,LTD.

shown on Report

Address FLOOR2, BUILDING NO.7, HUANGZHOU INDUSTRIAL

ESTATE, CHEBEI ROAD, TIANHE DISTRICT, GUANGZHOU,

**CHINA** 

Product Name Serial Port to Ethernet Module

Product Part No. IPort-3

\*

Conclusion

Tested SampleAccording to standard/directiveResultSubmitted SampleRoHS Directive 2011/65/EU with amendment (EU) 2015/863PASS

\*

PASS means that the results shown on the report comply with the limits set by RoHS Directive 2011/65/EU with amendment (EU) 2015/863.

Guoquing Dai

Reviewed by

Wenjun Wang

Date Aug. 11, 2020

Wenjun Wang

Menjun Wang

Technical Director

Control Testing International Group Co., Ltd. Shunde Branch

No. R340231154

Yongying Building, Section 2, No.8, East of Rongqi Avenue, Ronggui, Shunde District, Foshan, Guangdong, China



 Report No. A2200225067102
 Page 2 of 38

 Report Content

 Test Requested
 3

 Photo(s) of the Product(s)
 3

 Test Method
 4

 Test Result(s)
 6

 Test Process
 19

 Photo(s) of the tested component(s)
 21

 Exempted Items of RoHS Directive
 24



Report No. A2200225067102 Page 3 of 38

Sample Received Date Jul. 20, 2020

Testing Period Jul. 20, 2020 to Aug. 7, 2020

**Test Requested** With reference to RoHS Directive 2011/65/EU with amendment (EU) 2015/863,to

conduct verification test for Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers(PBDEs) and Phthalates (Dibutyl phthalate(DBP), Benzylbutyl phthalate (BBP), Di-2-ethylhexyl phthalate(DEHP), Diisobutyl phthalate(DIBP))in the

submitted samples.

#### **Photo(s) of the Product(s)**

#### **Serial Port to Ethernet Module**





Report No. A2200225067102 Page 4 of 38

#### **Test Method**

#### A. Screening limits for regulated elements according to IEC 62321-3-1:2013 (Unit: mg/kg)

	9	0	\ 0 0/	
Element	Polymers	Metals	Composite material	
DL	BL $\leq$ (700-3 $\sigma$ ) <x <(1300+3<math="">\sigma)</x>	BL $\leq$ (700-3 $\sigma$ ) <x <(1300+3<math="">\sigma)</x>	BL $\leq$ (500-3 $\sigma$ ) $<$ X $<$ (1500+3 $\sigma$ )	
Pb	≤OL	≤OL	≤OL	
Cd	BL $\leq$ (70-3 $\sigma$ ) $<$ X $<$ (130+3 $\sigma$ )	BL $\leq$ (70-3 $\sigma$ ) $<$ X $<$ (130+3 $\sigma$ )	LOD <x<(150+3σ) td="" ≤ol<=""></x<(150+3σ)>	
Cu	≤OL	≤OL	LOD <a<(130+36) <="" ol<="" td=""></a<(130+36)>	
Ша	BL $\leq$ (700-3 $\sigma$ ) $<$ X $<$ (1300+3 $\sigma$ )	BL $\leq$ (700-3 $\sigma$ ) $<$ X $<$ (1300+3 $\sigma$ )	BL $\leq$ (500-3 $\sigma$ ) $<$ X $<$ (1500+3 $\sigma$ )	
Hg	≤OL	≤OL	≤OL	
Cr	BL≤(700-3σ)< X	BL≤(700-3σ)< X	BL $\leq$ (500-3 $\sigma$ ) $<$ X	
Br	BL≤(300-3σ)< X	N/A	BL≤(250-3σ)< X	

#### **B.** Screening limits for Phthalates

Test Item(s)	Screening limits(Unit: mg/kg)
Dibutyl phthalate(DBP)	BL≤600 <x< td=""></x<>
Benzylbutyl phthalate(BBP)	BL≤600 <x< td=""></x<>
Di-2-ethylhexyl phthalate(DEHP)	BL≤600 <x< td=""></x<>
Diisobutyl phthalate(DIBP)	BL≤600 <x< td=""></x<>

#### C. Chemical Test

Tested Item(s)	Test Method	Measured Equipment(s)	MDL	Limit	
Lood (Dh.)	IEC 62321-5:2013	ICP-OES	10 mg/kg	1000 4	
Lead (Pb)	Refer to IEC 62321-5:2013	ICP-OES	10 mg/kg	1000 mg/kg	
Codmium (Cd)	IEC 62321-5:2013	ICP-OES	10 mg/kg	100 ma/lra	
Cadmium (Cd)	Refer to IEC 62321-5:2013	ICP-OES	10 mg/kg	100 mg/kg	
	IEC 62321-4:2013+AMD1:2017 CSV		10 mg/kg		
Mercury (Hg)	Refer to	Refer to ICP-OES		1000 mg/kg	
	IEC 62321-4:2013+AMD1:2017 CSV		10 mg/kg		
	IEC 62321-7-2:2017		20 mg/kg		
Hexavalent Chromium (Cr(VI))	IEC 62321-7-1:2015	UV-Vis	0.10 μg/cm <sup>2</sup>	1000 mg/kg	
	IEC 02321-7-1:2013		(LOQ)		
Polybrominated Biphenyls (PBBs)	IEC 62321-6:2015	GC-MS	100 mg/kg	1000 mg/kg	
Polybrominated Diphenyl Ethers (PBDEs)	IEC 62321-6:2015	GC-MS	100 mg/kg	1000 mg/kg	
Phthalates (DBP, BBP, DEHP, DIBP)	IEC 62321-8:2017	GC-MS	50 mg/kg	1000 mg/kg for each	



Report No. A2200225067102 Page 5 of 38

#### Remark:

- BL = Under the screening limit
- OL = Above the screening limit
- X = The range of needing to do further testing
- $3\sigma$  = The reproducibility of analytical instruments
- N/A= Not applicable
- LOD= Detection limit
- LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is 0.10 μg/cm<sup>2</sup>



Report No. A2200225067102 Page 6 of 38

Test Result(s)

Sample No.	Sample Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
	White label	Cr(Cr(VI))	BL	/	/		
2.1	with multi-color	Br(PBBs& PBDEs)	BL	/	/	PASS	Jul. 20, 2020
	plating	DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/	-	
		DIBP	N/A	BL	/		
		Pb	BL	/	/	PASS	Jul. 20, 2020
	Silvery metal	Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
2.2		Br(PBBs& PBDEs)	N/A	/	/		
		DBP	N/A	/	/		
		BBP	N/A	/	/		
		DEHP	N/A	/	/		
		DIBP	N/A	/	/		
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
2.3	Black plastic	Br(PBBs& PBDEs)	IN	/	N.D.	PASS	Jul. 20, 2020
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		



Report No. A2200225067102 Page 7 of 38

Sample No.	Sample Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
2.4	Cupreous metal	Br(PBBs& PBDEs)	N/A	/	/	PASS	Jul. 20, 2020
		DBP	N/A	/	/		
		BBP	N/A	/	/		
		DEHP	N/A	/	/		
		DIBP	N/A	/	/		
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		Jul. 20, 2020
		Cr(Cr(VI))	BL	/	/	PASS	
2.5	Silvery metal	Br(PBBs& PBDEs)	N/A	/	/		
		DBP	N/A	/	/		
		BBP	N/A	/	/		
		DEHP	N/A	/	/		
		DIBP	N/A	/	/		
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
2.6	Black plastic	Br(PBBs& PBDEs)	IN	/	N.D.	PASS	Jul. 20, 2020
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		



Report No. A2200225067102 Page 8 of 38

Sample No.	Sample Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
2.7	Silvery/Cupr eous metal	Br(PBBs& PBDEs)	N/A	/	/	PASS	Jul. 20, 2020
		DBP	N/A	/	/		
		BBP	N/A	/	/		
		DEHP	N/A	/	/		
		DIBP	N/A	/	/		
		Pb	BL	/	/		Jul. 20, 2020
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/	PASS	
2.8	Black plastic	Br(PBBs& PBDEs)	IN	/	N.D.		
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
2.9	Silvery metal	Br(PBBs& PBDEs)	N/A	/	/	PASS	Jul. 20, 2020
		DBP	N/A	/	/		
		BBP	N/A	/	/		
		DEHP	N/A	/	/		
		DIBP	N/A	/	/		



Report No. A2200225067102 Page 9 of 38

Sample No.	Sample Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
	D	Cr(Cr(VI))	BL	/	/		
2.10	Brown body(Tested	Br(PBBs& PBDEs)	BL	/	/	PASS	Jul. 20, 2020
	as a whole)	DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		
	Black body(Tested as a whole)	Pb	BL	/	/		Jul. 20, 2020
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/	PASS	
2.11		Br(PBBs& PBDEs)	BL	/	/		
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
2.12	Silvery metal soldering tin	Br(PBBs& PBDEs)	N/A	/	/	PASS	Jul. 20, 2020
		DBP	N/A	/	/		
		BBP	N/A	/	/		
		DEHP	N/A	/	/		
		DIBP	N/A	/	/		



Report No. A2200225067102 Page 10 of 38

Sample No.	Sample Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
	Black	Cr(Cr(VI))	BL	/	/		
2.13	body(Tested	Br(PBBs& PBDEs)	BL	/	/	PASS	Jul. 20, 2020
	as a whole)	DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		
	Silvery body(Tested as a whole)	Pb	BL	/	/		Jul. 20, 2020
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/	PASS	
2.14		Br(PBBs& PBDEs)	BL	/	/		
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
	Black	Cr(Cr(VI))	BL	/	/		
2.15	body(Tested as a whole)	Br(PBBs& PBDEs)	BL	/	/	PASS	Jul. 20, 2020
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		



Report No. A2200225067102 Page 11 of 38

Sample No.	Sample Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		Pb	IN	/	951#		
		Cd	BL	/	/		
		Hg	BL	/	/		
	D11-	Cr(Cr(VI))	BL	/	/		
2.16	Black body(Tested	Br(PBBs& PBDEs)	BL	/	/	PASS	Jul. 20, 2020
	as a whole)	DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		
	Black body(Tested as a whole)	Pb	OL	/	706		Jul. 20, 2020
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/	PASS	
2.17		Br(PBBs& PBDEs)	BL	/	/		
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/	1	
		DIBP	N/A	BL	/		
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
	Brown	Cr(Cr(VI))	BL	/	/		
2.18	Brown body(Tested as a whole)	Br(PBBs& PBDEs)	BL	/	/	PASS	Jul. 20, 2020
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		



Report No. A2200225067102 Page 12 of 38

Sample No.	Sample Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
2.19	PCB(Tested as a whole)	Br(PBBs& PBDEs)	IN	/	N.D.	PASS	Jul. 20, 2020
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		
		Pb	BL	/	/		Jul. 20, 2020
		Cd	BL	/	/		
		Hg	BL	/	/		
	Croon	Cr(Cr(VI))	BL	/	/	PASS	
2.20	Green transparent plastic	Br(PBBs& PBDEs)	IN	/	N.D.		
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
2.21	Silvery metal	Br(PBBs& PBDEs)	N/A	/	/	PASS	Jul. 20, 2020
		DBP	N/A	/	/		
		BBP	N/A	/	/		
		DEHP	N/A	/	/		
		DIBP	N/A	/	/		



Report No. A2200225067102 Page 13 of 38

Sample No.	Sample Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
	X7 11	Cr(Cr(VI))	BL	/	/		
2.22	Yellow	Br(PBBs& PBDEs)	IN	/	N.D.	PASS	Jul. 20, 2020
	plastic	DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/	<u> </u>	
		Pb	BL	/	/		
	Silvery metal	Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/	PASS	Jul. 20, 2020
2.23		Br(PBBs& PBDEs)	N/A	/	/		
		DBP	N/A	/	/		
		BBP	N/A	/	/		
		DEHP	N/A	/	/		
		DIBP	N/A	/	/		
		Pb	IN	/	833		
		Cd	BL	/	/		
		Hg	BL	/	/		
	Dlook	Cr(Cr(VI))	BL	/	/		
2.24	Black body(Tested	Br(PBBs& PBDEs)	BL	/	/	PASS	Jul. 20, 2020
	as a whole)	DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		



Report No. A2200225067102 Page 14 of 38

Sample No.	Sample Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
	Duossa	Cr(Cr(VI))	BL	/	/		
2.25	Brown body(Tested	Br(PBBs& PBDEs)	BL	/	/	PASS	Jul. 20, 2020
	as a whole)	DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		
	Brown body(Tested as a whole)	Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/	PASS	Jul. 20, 2020
2.26		Br(PBBs& PBDEs)	BL	/	/		
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
2.27	PCB(Tested as a whole)	Br(PBBs& PBDEs)	IN	/	N.D.	PASS	Jul. 20, 2020
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		



Report No. A2200225067102 Page 15 of 38

Sample No.	Sample Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
2.28	Black plastic	Br(PBBs& PBDEs)	BL	/	/	PASS	Jul. 20, 2020
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/	1	
	Silvery metal	Pb	BL	/	/	PASS	Jul. 20, 2020
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
2.29		Br(PBBs& PBDEs)	N/A	/	/		
		DBP	N/A	/	/		
		BBP	N/A	/	/		
		DEHP	N/A	/	/		
		DIBP	N/A	/	/		
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
2.30	Black solid	Br(PBBs& PBDEs)	BL	/	/	PASS	Jul. 20, 2020
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		



Report No. A2200225067102 Page 16 of 38

Sample No.	Sample Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		Pb	BL	/	/		Jul. 20, 2020
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
2.31	Black solid	Br(PBBs& PBDEs)	BL	/	/	PASS	
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		
	Cupreous enameled wire	Pb	BL	/	/	PASS	Jul. 20, 2020
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
2.32		Br(PBBs& PBDEs)	BL	/	/		
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		
		Pb	BL	/	/		
		Cd	BL	/	/		Jul. 20, 2020
		Hg	BL	/	/		
	Red	Cr(Cr(VI))	BL	/	/		
2.33	enameled	Br(PBBs& PBDEs)	BL	/	/	PASS Jul. 20	
	wire	DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		



Report No. A2200225067102 Page 17 of 38

Sample No.	Sample Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
	Disa	Cr(Cr(VI))	BL	/	/		
2.34	Blue enameled	Br(PBBs& PBDEs)	BL	/	/	PASS	Jul. 20, 2020
	wire	DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		
	Green enameled wire	Pb	BL	/	/	PASS	Jul. 20, 2020
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
2.35		Br(PBBs& PBDEs)	BL	/	/		
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		
		Pb	BL	/	/		
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
2.36	Red foam	Br(PBBs& PBDEs)	BL	/	/	PASS	Jul. 20, 2020
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		



Report No. A2200225067102 Page 18 of 38

#### Remark:

- N.D. = Not Detected (<MDL or LOQ)
- MDL = Method Detection Limit
- mg/kg = ppm = parts per million
- 1000 mg/kg = 0.1%
- /=Not tested
- IN= Uncertain, Further chemical test
- N/A= Not applicable
- BL = Under the screening limit
- OL = Further chemical test will be conducted while the result is above the screening limit.
- The sample is negative for Cr(VI) The Cr(VI) concentration is below 0.10 μg/cm<sup>2</sup>. The coating is considered a non-Cr(VI) based coating.
- When conducting the test for PBBs&PBDEs, XRF was introduced to screen Br Exclusively; When conducting the test for Hexavalent Chromium, XRF was introduced to screen Chromium exclusively.
- #According to the client's statement, the material of the sample(s) fall into exemption items 7(c)-I according to EU Directive 2011/65/EU: Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.




Report No. A2200225067102

Page 19 of 38


#### **Test Process**

#### 1. Lead (Pb), Cadmium (Cd)

#### 1) IEC 62321-5:2013




#### 2) Refer to IEC 62321-5:2013




#### 2. Mercury (Hg)

#### 1) IEC 62321-4:2013+AMD1:2017 CSV



#### 2) Refer to IEC 62321-4:2013+AMD1:2017 CSV






A2200225067102 Report No. Page 20 of 38

#### 3. Hexavalent Chromium (Cr(VI))

Analyzed by GC-MS

#### 1) IEC62321-7-2:2017




organic solvent

volumetric flask




Report No. A2200225067102 Page 21 of 38

### **Photo(s) of the tested component(s)**






Report No. A2200225067102 Page 22 of 38






Report No. A2200225067102

Page 23 of 38







Report No. A2200225067102 Page 24 of 38

### **Exempted Items of RoHS Directive**

In accordance with Directive 2011/65/EU as amended, there are 44 exemption items in Annex III of 2011/65/EU altogether.

	Exemption	Scope and dates of applicability
1	Mercury in single capped (compact) fluorescent	
	lamps not exceeding (per burner):	
1(a)	For general lighting purposes < 30 W: 5 mg	Expires on 31 December 2011; 3,5 mg may
		be used per burner after 31 December 2011
		until 31 December 2012; 2,5 mg shall be used
		per burner after 31 December 2012
1(b)	For general lighting purposes ≥ 30 W and <	Expires on 31 December 2011; 3,5 mg may
	50 W: 5 mg	be used per burner after 31 December 2011
1(c)	For general lighting purposes ≥ 50 W and <	
	150 W: 5 mg	
1(d)	For general lighting purposes ≥ 150 W: 15 mg	
1(e)	For general lighting purposes with circular or	No limitation of use until 31 December 2011;
	square structural shape and tube diameter ≤	7 mg may be used per burner after 31
	17 mm	December 2011
1(f)	For special purposes: 5 mg	
1(g)	For general lighting purposes < 30 W with a	Expires on 31 December 2017
	lifetime equal or above 20 000 h: 3,5 mg	
2(a)	Mercury in double-capped linear fluorescent	
	lamps for general lighting purposes not	
	exceeding (per lamp):	
2(a)(1)	Tri-band phosphor with normal lifetime and a	Expires on 31 December 2011; 4 mg may be
	tube diameter < 9 mm (e.g. T2): 5 mg	used per lamp after 31 December 2011
2(a)(2)	Tri-band phosphor with normal lifetime and a	Expires on 31 December 2011; 3 mg may be
	tube diameter $\geq 9$ mm and $\leq 17$ mm (e.g. T5): 5	used per lamp after 31 December 2011
	mg	
2(a)(3)	Tri-band phosphor with normal lifetime and a	Expires on 31 December 2011; 3,5 mg may
	tube diameter $> 17 \text{ mm}$ and $\leq 28 \text{ mm}$ (e.g. T8):	be used per lamp after 31 December 2011
	5 mg	
2(a)(4)	Tri-band phosphor with normal lifetime and a	Expires on 31 December 2012; 3,5 mg may
	tube diameter > 28 mm (e.g. T12): 5 mg	be used per lamp after 31 December 2012
2(a)(5)	Tri-band phosphor with long lifetime (≥	Expires on 31 December 2011; 5 mg may be
	25 000 h): 8 mg	used per lamp after 31 December 2011
2(b)	Mercury in other fluorescent lamps not	
	exceeding (per lamp):	



Report No. A2200225067102 Page 25 of 38

	Exemption	Scope and dates of applicability
2(b)(1)	Linear halophosphate lamps with tube > 28 mm (e.g. T10 and T12): 10 mg	Expires on 13 April 2012
2(b)(2)	Non-linear halophosphate lamps (all diameters): 15 mg	Expires on 13 April 2016
2(b)(3)	Non-linear tri-band phosphor lamps with tube diameter > 17 mm (e.g. T9)	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011
2(b)(4)	Lamps for other general lighting and special purposes (e.g. induction lamps)	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011
3	Mercury in cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL) for special purposes not exceeding (per lamp):	
3(a)	Short length (≤ 500 mm)	No limitation of use until 31 December 2011; 3,5 mg may be used per lamp after 31 December 2011
3(b)	Medium length (> 500 mm and ≤ 1 500 mm)	No limitation of use until 31 December 2011; 5 mg may be used per lamp after 31 December 2011
3(c)	Long length (> 1 500 mm)	No limitation of use until 31 December 2011; 13 mg may be used per lamp after 31 December 2011
4(a)	Mercury in other low pressure discharge lamps (per lamp)	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011
4(b)	Mercury in High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index Ra > 60:	
4(b)-I	$P \le 155 \text{ W}$	No limitation of use until 31 December 2011; 30 mg may be used per burner after 31 December 2011
4(b)-II	155 W < P ≤ 405 W	No limitation of use until 31 December 2011; 40 mg may be used per burner after 31 December 2011
4(b)-III	P > 405 W	No limitation of use until 31 December 2011; 40 mg may be used per burner after 31 December 2011



Report No. A2200225067102 Page 26 of 38

	Exemption	Scope and dates of applicability
4(c)	Mercury in other High Pressure Sodium (vapour)	
	lamps for general lighting purposes not	
	exceeding (per burner):	
4(c)-I	P ≤ 155 W	No limitation of use until 31 December 2011;
		25 mg may be used per burner after 31
		December 2011
4(c)-II	155 W < P ≤ 405 W	No limitation of use until 31 December 2011;
		30 mg may be used per burner after 31
		December 2011
4(c)-III	P > 405 W	No limitation of use until 31 December 2011;
		40 mg may be used per burner after 31
		December 2011
4(d)	Mercury in High Pressure Mercury (vapour)	Expires on 13 April 2015
	lamps (HPMV)	
4(e)	Mercury in metal halide lamps (MH)	
4(f)	Mercury in other discharge lamps for special	
	purposes not specifically mentioned in this	
	Annex	
4(g)	Mercury in hand crafted luminous discharge	Expires on 31 December 2018
	tubes used for signs, decorative or architectural	
	and specialist lighting and light-artwork, where	
	the mercury content shall be limited as follows:	
	(a) 20 mg per electrode pair + 0,3 mg per tube	
	length in cm, but not more than 80 mg, for	
	outdoor applications and indoor	
	applications exposed to temperatures	
	below 20 ℃;	
	(b) 15 mg per electrode pair + 0,24 mg per	
	tube length in cm, but not more than 80	
	mg, for all other indoor applications.	
5(a)	Lead in glass of cathode ray tubes	
5(b)	Lead in glass of fluorescent tubes not	
	exceeding 0,2 % by weight	



Report No. A2200225067102 Page 27 of 38

	Exemption	Scope and dates of applicability
6(a)	Lead as an alloying element in steel for	Expires on:
	machining purposes and in galvanised steel	-21 July 2021 for categories 8 and 9 other
	containing up to 0,35 % lead by weight	than in vitro diagnostic medical devices and
		industrial monitoring and control instruments;
		-21 July 2023 for category 8 in vitro
		diagnostic medical devices;
		-21 July 2024 for category 9 industrial
		monitoring and control instruments, and for
		category 11.
6(a)-I	Lead as an alloying element in steel for	Expires on 21 July 2021 for categories 1-7
	machining purposes containing up to 0,35 % lead	and 10.
	by weight and in batch hot dip galvanised steel	
	components containing up to 0,2 % lead by	
	weight	
6(b)	Lead as an alloying element in aluminium	Expires on:
	containing up to 0,4 % lead by weight	-21 July 2021 for categories 8 and 9 other
		than in vitro diagnostic medical devices and
		industrial monitoring and control instruments,
		-21 July 2023 for category 8 in vitro
		diagnostic medical devices,
		-21 July 2024 for category 9 industrial
		monitoring and control instruments, and for
		category 11.
6(b)-I	Lead as an alloying element in aluminium	Expires on 21 July 2021 for categories 1-7
	containing up to 0,4 % lead by weight, provided	and 10.
	it stems from lead-bearing aluminium scrap	
	recycling	
6(b)-II	Lead as an alloying element in aluminium for	Expires on 18 May 2021 for categories 1-7
	machining purposes with a lead content up to	and 10.
	0,4 % by weight	



Report No. A2200225067102 Page 28 of 38

	Exemption	Scope and dates of applicability
6(c)	Copper alloy containing up to 4 % lead by	Expires on:
	weight	-21 July 2021 for categories 1-7 and 10,
		-21 July 2021 for categories 8 and 9 other
		than in vitro diagnostic medical devices and
		industrial monitoring and control instruments,
		-21 July 2023 for category 8 in vitro
		diagnostic medical devices,
		-21 July 2024 for category 9 industrial
		monitoring and control instruments, and for
		category 11.
7(a)	Lead in high melting temperature type solders	Applies to categories 1-7 and 10 (except
	(i.e. lead-based alloys containing 85 % by weight	applications covered by point 24 of this
	or more lead)	Annex) and expires on 21 July 2021.
		For categories 8 and 9 other than in vitro
		diagnostic medical devices and industrial
		monitoring and control instruments expires on
		21 July 2021.
		For category 8 in vitro diagnostic medical
		devices expires on 21 July 2023.
		For category 9 industrial monitoring and
		control instruments, and for category 11
		expires on 21 July 2024.
7(b)	Lead in solders for servers, storage and storage	
	array systems, network infrastructure	
	equipment for switching, signalling,	
	transmission, and network management	
	for telecommunications	
7(c)-I	Electrical and electronic components containing	Applies to categories 1-7 and 10 (except
	lead in a glass or ceramic other than dielectric	applications covered under point 34) and
	ceramic in capacitors, e.g. piezoelectronic	expires on 21 July 2021.
	devices, or in a glass or ceramic matrix	For categories 8 and 9 other than in vitro
	compound	diagnostic medical devices and industrial
		monitoring and control instruments expires on
		21 July 2021.
		For category 8 in vitro diagnostic medical
		devices expires on 21 July 2023.
		For category 9 industrial monitoring and
		control instruments, and for category 11
		expires on 21 July 2024.



Report No. A2200225067102 Page 29 of 38

	Exemption	Scope and dates of applicability
7(c)-II	Lead in dielectric ceramic in capacitors for a	Does not apply to applications covered by
	rated voltage of 125 V AC or 250 V DC or	point 7(c)-I and 7(c)-IV of this Annex.
	higher	Expires on:
		-21 July 2021 for categories 1-7 and 10;
		-21 July 2021 for categories 8 and 9 other
		than in vitro diagnostic medical devices and
		industrial monitoring and control instruments;
		-21 July 2023 for category 8 in vitro
		diagnostic medical devices;
		-21 July 2024 for category 9 industrial
		monitoring and control instruments, and for
		category 11
7(c)-III	Lead in dielectric ceramic in capacitors for a	Expires on 1 January 2013 and after that date
	rated voltage of less than 125 V AC or 250 V DC	may be used in spare parts for EEE placed on
		the market before 1 January 2013
7(c)-IV	Lead in PZT based dielectric ceramic materials	-21 July 2021 for categories 1-7 and 10;
	for capacitors which are part of integrated	-21 July 2021 for categories 8 and 9 other
	circuits or discrete semiconductors	than in vitro diagnostic medical devices and
		industrial monitoring and control instruments;
		-21 July 2023 for category 8 in vitro
		diagnostic medical devices;
		-21 July 2024 for category 9 industrial
		monitoring and control instruments, and for
		category 11
8(a)	Cadmium and its compounds in one shot pellet	Expires on 1 January 2012 and after that date
	type thermal cut-offs	may be used in spare parts for EEE placed on
		the market before 1 January 2012
8(b)	Cadmium and its compounds in electrical	Applies to categories 8, 9 and 11 and expires
	contacts	on:
		-21 July 2021 for categories 8 and 9 other
		than in vitro diagnostic medical devices and
		industrial monitoring and control instruments;
		-21 July 2023 for category 8 in vitro
		diagnostic medical devices;
		-21 July 2024 for category 9 industrial
		monitoring and control instruments, and for
		category 11



Report No. A2200225067102 Page 30 of 38

	Exemption	Scope and dates of applicability
8(b)-I	Cadmium and its compounds in electrical	Applies to categories 1 to 7 and 10 and
	contacts used in:	expires on 21 July 2021
	-circuit breakers,	
	-thermal sensing controls,	
	-thermal motor protectors (excluding hermetic	
	thermal motor protectors),	
	-AC switches rated at:	
	-6 A and more at 250 V AC and more, or	
	-12 A and more at 125 V AC and more,	
	-DC switches rated at 20 A and more at 18 V DC	
	and more, and	
	-switches for use at voltage supply frequency ≥	
	200 Hz	
9	Hexavalent chromium as an anticorrosion agent	Applies to categories 8, 9 and 11 and expires
	of the carbon steel cooling system in absorption	on:
	refrigerators up to 0,75 % by weight in the	—21 July 2021 for categories 8 and 9 other
	cooling solution	than in vitro diagnostic medical devices and
		industrial monitoring and control instruments,
		—21 July 2023 for category 8 in vitro
		diagnostic medical devices,
		—21 July 2024 for category 9 industrial
		monitoring and control instruments, and for
		category 11.
9(a)-I	Up to 0,75 % hexavalent chromium by weight,	Applies to categories 1-7 and 10 and expires
	used as an anticorrosion agent in the cooling	on 5 March 2021.
	solution of carbon steel cooling systems of	
	absorption refrigerators (including minibars)	
	designed to operate fully or partly with electrical	
	heater, having an average utilised power input <	
	75 W at constant running conditions	



Report No. A2200225067102 Page 31 of 38

	Exemption	Scope and dates of applicability
9(a)-II	Up to 0,75 % hexavalent chromium by weight,	Applies to categories 1-7 and 10 and expires
	used as an anticorrosion agent in the cooling	on 21 July 2021.
	solution of carbon steel cooling systems of	
	absorption refrigerators:	
	—designed to operate fully or partly with	
	electrical heater, having an average utilised	
	power input ≥ 75 W at constant running	
	conditions,	
	—designed to fully operate with non-electrical	
	heater.	
9(b)	Lead in bearing shells and bushes for	Applies to categories 8, 9 and 11; expires on:
	refrigerant-containing compressors for heating,	-21 July 2023 for category 8 in vitro
	ventilation, air conditioning and refrigeration	diagnostic medical devices,
	(HVACR) applications	-21 July 2024 for category 9 industrial
		monitoring and control instruments and for
		category 11,
		-21 July 2021 for other subcategories of
		categories 8 and 9.
9(b)-(I)	Lead in bearing shells and bushes for refrigerant-	Applies to category 1; expires on 21 July
	containing hermetic scroll compressors with a	2019.
	stated electrical power input equal or below 9	
	kW for heating, ventilation, air conditioning and	
	refrigeration (HVACR) applications	
11(a)	Lead used in C-press compliant pin connector	May be used in spare parts for EEE placed or
	systems C-press	the market before 24 September 2010
11(b)	Lead used in other than C-press compliant pin	Expires on 1 January 2013 and after that date
	connector systems	may be used in spare parts for EEE placed on
		the market before 1 January 2013
12	Lead as a coating material for the thermal	May be used in spare parts for EEE placed or
	conduction module C-ring	the market before 24 September 2010
13(a)	Lead in white glasses used for optical	Applies to all categories; expires on:
	applications	-21 July 2023 for category 8 in vitro
		diagnostic medical devices;
		-21 July 2024 for category 9 industrial
		monitoring and control instruments and for
		category 11;
		-21 July 2021 for all other categories and
		subcategories



Report No. A2200225067102 Page 32 of 38

	Exemption	Scope and dates of applicability
13(b)	Cadmium and lead in filter glasses and glasses	Applies to categories 8, 9 and 11; expires on:
	used for reflectance standards	-21 July 2023 for category 8 in vitro
		diagnostic medical devices;
		-21 July 2024 for category 9 industrial
		monitoring and control instruments and for
		category 11;
		-21 July 2021 for other subcategories of
		categories 8 and 9
13(b)-I	Lead in ion coloured optical filter glass types	
13(b)-II	Cadmium in striking optical filter glass types;	A multi 44
	excluding applications falling under point 39 of	Applies to categories 1 to 7 and 10;
	this Annex	expires on 21 July 2021 for categories 1 to 7 and 10
13(b)-III	Cadmium and lead in glazes used for reflectance	
	standards	
14	Lead in solders consisting of more than two	Expired on 1 January 2011 and after that date
	elements for the connection between the pins and	may be used in spare parts for EEE placed on
	the package of microprocessors with a lead	the market before 1 January 2011
	content of more than 80 % and less than 85 % by	
	weight	
15	Lead in solders to complete a viable electrical	Applies to categories 8, 9 and 11 and expires
	connection between semiconductor die and	on:
	carrier within integrated circuit flip chip	-21 July 2021 for categories 8 and 9 other
	packages	than in vitro diagnostic medical devices and
		industrial monitoring and control instruments;
		-21 July 2023 for category 8 in vitro
		diagnostic medical devices;
		-21 July 2024 for category 9 industrial
		monitoring and control instruments, and for
		category 11



Report No. A2200225067102 Page 33 of 38

	Exemption	Scope and dates of applicability
15(a)	Lead in solders to complete a viable electrical	Applies to categories 1 to 7 and 10 and
	connection between the semiconductor die and	expires on 21 July 2021
	carrier within integrated circuit flip chip	
	packages where at least one of the following	
	criteria applies:	
	-a semiconductor technology node of 90 nm or	
	larger;	
	-a single die of 300 mm <sup>2</sup> or larger in any	
	semiconductor technology node;	
	-stacked die packages with die of 300 mm <sup>2</sup> or	
	larger, or silicon interposers of 300 mm <sup>2</sup> or larger	
16	Lead in linear incandescent lamps with silicate	Expires on 1 September 2013
	coated tubes	
17	Lead halide as radiant agent in high intensity	
	discharge (HID) lamps used for professional	
	reprography applications	
18(a)	Lead as activator in the fluorescent powder (1 %	Expired on 1 January 2011
	lead by weight or less) of discharge lamps when	
	used as speciality lamps for diazoprinting	
	reprography, lithography, insect traps,	
	photochemical and curing processes containing	
	phosphors such as SMS ((Sr,Ba)2MgSi2O7:Pb)	
18(b)	Lead as activator in the fluorescent powder (1 %	-21 July 2021 for categories 1-7 and 10;
	lead by weight or less) of discharge lamps when	-21 July 2021 for categories 8 and 9 other
	used as sun tanning lamps containing phosphors	than in vitro diagnostic medical devices and
	such as BSP (BaSi2O5:Pb)	industrial monitoring and control instruments;
		-21 July 2023 for category 8 in vitro
		diagnostic medical devices;
		-21 July 2024 for category 9 industrial
		monitoring and control instruments, and for
		category 11
18(b)-I	Lead as activator in the fluorescent powder (1 %	Applies to categories 5 and 8, excluding
	lead by weight or less) of discharge lamps	applications covered by entry 34 of Annex
	containing phosphors such as BSP (BaSi2O5:Pb)	IV, and expires on 21 July 2021
	when used in medical phototherapy equipment	
19	Lead with PbBiSn-Hg and PbInSn-Hg in specific	Expires on 1 June 2011
	compositions as main amalgam and with	
	PbSn-Hg as auxiliary amalgam in very compact	
	energy saving lamps (ESL)	



Report No. A2200225067102 Page 34 of 38

	Exemption	Scope and dates of applicability
20	Lead oxide in glass used for bonding front and	Expires on 1 June 2011
	rear substrates of flat fluorescent lamps used for	
	Liquid Crystal Displays (LCDs)	
21	Lead and cadmium in printing inks for the	Applies to categories 8, 9 and 11 and expires
	application of enamels on glasses, such as	on:
	borosilicate and soda lime glasses	-21 July 2021 for categories 8 and 9 other
		than in vitro diagnostic medical devices and
		industrial monitoring and control instruments;
		-21 July 2023 for category 8 in vitro
		diagnostic medical devices;
		-21 July 2024 for category 9 industrial
		monitoring and control instruments, and for
		category 11
21(a)	Cadmium when used in colour printed glass to	Applies to categories 1 to 7 and 10 except
	provide filtering functions, used as a component	applications covered by entry 21(b) or entry
	in lighting applications installed in displays and	39 and expires on 21 July 2021
	control panels of EEE	
21(b)	Cadmium in printing inks for the application of	Applies to categories 1 to 7 and 10 except
	enamels on glasses, such as borosilicate and soda	applications covered by entry 21(a) or 39 and
	lime glasses	expires on 21 July 2021
21(c)	Lead in printing inks for the application of	Applies to categories 1 to 7 and 10 and
	enamels on other than borosilicate glasses	expires on 21 July 2021
23	Lead in finishes of fine pitch components other	May be used in spare parts for EEE placed on
	than connectors with a pitch of 0,65 mm and less	the market before 24 September 2010
24	Lead in solders for the soldering to machined	Expires on:
	through hole discoidal and planar array ceramic	-21 July 2021 for categories 1-7 and 10,
	multilayer capacitors	-21 July 2021 for categories 8 and 9 other
		than in vitro diagnostic medical devices and
		industrial monitoring and control instruments,
		-21 July 2023 for category 8 in vitro
		diagnostic medical devices,
		-21 July 2024 for category 9 industrial
		monitoring and control instruments, and for
		category 11
25	Lead oxide in surface conduction electron emitter	
	displays (SED) used in structural elements,	
	notably in the seal frit and frit ring	
26	Lead oxide in the glass envelope of black light	Expires on 1 June 2011
	blue lamps	



Report No. A2200225067102 Page 35 of 38

	Exemption	Scope and dates of applicability
27	Lead alloys as solder for transducers used in high-powered (designated to operate for several hours at acoustic power levels of 125 dB SPL and above) loudspeakers	Expired on 24 September 2010
29	Lead bound in crystal glass as defined in Annex I (Categories 1, 2, 3 and 4) of Council Directive 69/493/EEC	-21 July 2021 for categories 1-7 and 10; -21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; -21 July 2023 for category 8 in vitro diagnostic medical devices; -21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11
30	Cadmium alloys as electrical/mechanical solder joints to electrical conductors located directly on the voice coil in transducers used in high-powered loudspeakers with sound pressure levels of 100 dB (A) and more	
31	Lead in soldering materials in mercury free flat fluorescent lamps (which, e.g. are used for liquid crystal displays, design or industrial lighting)	
32	Lead oxide in seal frit used for making window assemblies for Argon and Krypton laser tubes	-21 July 2021 for categories 1-7 and 10, -21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments, -21 July 2023 for category 8 in vitro diagnostic medical devices, -21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11
33	Lead in solders for the soldering of thin copper wires of 100 μm diameter and less in power trans formers	



Report No. A2200225067102 Page 36 of 38

	Exemption	Scope and dates of applicability
34	Lead in cermet-based trimmer potentiometer	Applies to all categories; expires on:
	elements	-21 July 2021 for categories 1-7 and 10,
		-21 July 2021 for categories 8 and 9 other
		than in vitro diagnostic medical devices and
		industrial monitoring and control instruments,
		-21 July 2023 for category 8 in vitro
		diagnostic medical devices,
		-21 July 2024 for category 9 industrial
		monitoring and control instruments, and for
		category 11.
36	Mercury used as a cathode sputtering inhibitor in	Expired on 1 July 2010
	DC plasma displays with a content up to 30 mg	
	per display	
37	Lead in the plating layer of high voltage diodes	-21 July 2021 for categories 1-7 and 10;
	on the basis of a zinc borate glass body	-21 July 2021 for categories 8 and 9 other
		than in vitro diagnostic medical devices and
		industrial monitoring and control instruments;
		-21 July 2023 for category 8 in vitro
		diagnostic medical devices;
		-21 July 2024 for category 9 industrial
		monitoring and control instruments, and for
		category 11
38	Cadmium and cadmium oxide in thick film	
	pastes used on aluminium bonded beryllium	
	oxide	
39(a)	Cadmium selenide in downshifting	-Expires for all categories on 31 October
	cadmium-based semiconductor nanocrystal	2019
	quantum dots for use in display lighting	
	applications (< 0,2 μg Cd per mm <sup>2</sup> of display	
	screen area)	
40	Cadmium in photoresistors for analogue	Expires on 31 December 2013
	optocouplers applied in professional audio	
	equipment	



Report No. A2200225067102 Page 37 of 38

	Exemption	Scope and dates of applicability
41	Lead in solders and termination finishes of	Expires on 31 December 2018
	electrical and electronic components and finishes	
	of printed circuit boards used in ignition modules	
	and other electrical and electronic engine control	
	systems, which for technical reasons must be	
	mounted directly on or in the crankcase or	
	1	
	cylinder of hand-held combustion engines	
	(classes SH:1, SH:2, SH:3 of Directive 97/68/EC	
	of the European Parliament and of the Council	
	(2))	
42	Lead in bearings and bushes of diesel or gaseous	Applies to category 11, excluding
	fuel powered internal combustion engines	applications covered by entry 6(c) of this
	applied in non-road professional use equipment:	Annex.
	-with engine total displacement $\geq 15$ litres; or	Expires on 21 July 2024
	-with engine total displacement < 15 litres and	
	the engine is designed to operate in applications	
	where the time between signal to start and full	
	load is required to be less than 10 seconds; or	
	regular maintenance is typically performed in a	
	harsh and dirty outdoor environment, such as	
	-	
	mining, construction, and agriculture applications	
43	Bis(2-ethylhexyl) phthalate in rubber components in engine systems, designed for use	Applies to category 11 and expires on 21 July
	in equipment that is not intended solely for	2024.
	consumer use and provided that no plasticised	
	material comes into contact with human mucous	
	membranes or into prolonged contact with	
	human skin and the concentration value of	
	bis(2-ethylhexyl) phthalate does not exceed:	
	(a)30 % by weight of the rubber for	
	(i)gasket coatings;	
	(ii)solid-rubber gaskets; or	
	(iii)rubber components included in assemblies of at least three components using electrical,	
	mechanical or hydraulic energy to do work, and	
	attached to the engine.	
	(b)10 % by weight of the rubber for	
	rubber-containing components not referred to in	
	point (a).	
	For the purposes of this entry, "prolonged contact	
	with human skin" means continuous contact of	
	more than 10 minutes duration or intermittent	
	contact over a period of 30 minutes, per day.	



Report No. A2200225067102 Page 38 of 38

	Exemption	Scope and dates of applicability
44	Lead in solder of sensors, actuators, and engine control units of combustion engines within the scope of Regulation (EU) 2016/1628 of the European Parliament and of the Council (*1), installed in equipment used at fixed positions while in operation which is designed for	Applies to category 11 and expires on 21 July 2024.
	professionals, but also used by non-professional users	

#### Statement:

- 1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
- 2. The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
- 3. The result(s) shown in this report refer(s) only to the sample(s) tested;
- 4. Without written approval of CTI, this report can't be reproduced except in full;
- 5. In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.

\*\*\* End of Report \*\*\*